

EU-DECLARATION OF CONFORMITY

EU-KONFORMITÄTSERKLÄRUNG

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE



qcells

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Diese Konformitätserklärung ist unter der alleinigen Verantwortung des Herstellers ausgestellt.

Cette déclaration de conformité est publiée sous la seule responsabilité du fabricant.

Esta declaración de conformidad se emite bajo la exclusiva responsabilidad del fabricante.

Niniejsza deklaracja zgodności wydawana jest na wyłączną odpowiedzialność producenta.

The signatory, who represents the manufacturer: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany, hereby declares that the products: Crystalline silicone terrestrial photovoltaic modules types:

Der Unterzeichner, der den Hersteller vertritt: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Deutschland, erklärt hiermit, dass die Produkte: Terrestrische Fotovoltaik-Module aus kristallinem Silikon Typen:

Le signataire, qui représente le fabricant: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Allemagne, déclare par la présente que les produits: Types de modules photovoltaïques terrestres en silicone cristallin:

El firmante, en representación del fabricante: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Alemania, declara por el presente documento que los productos: módulos fotovoltaicos terrestres cristalinos de silicón tipos:

Sygnatariusz reprezentujący producenta: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Niemcy, niniejszym deklaruje, że produkty: Naziemne moduły fotowoltaiczne z krzemu krystalicznego typu:

Power Class* Leistungsklasse Classe de puissance Clase de potencia Klasa mocy	Module Type Modultyp Type de module Tipo de módulo Typ modulu
G1	370 – 400 Wp Q.TRON-G1+; Q.TRON BLK-G1+
	375 – 400 Wp Q.TRON-G1+; Q.TRON BLK-G1+
	385 – 415 Wp Q.TRON ML-G1; Q.TRON ML-G1+; Q.TRON BLK ML-G1; Q.TRON BLK ML-G1+; B.LINE TRON ML-G1; B.LINE TRON BLK ML-G1
	385 – 430 Wp Q.TRON ML-G1; Q.TRON ML-G1+; Q.TRON BLK ML-G1; Q.TRON BLK ML-G1+; B.LINE TRON ML-G1; B.LINE TRON BLK ML-G1
G4	140 – 175 Wp Q.PEAK XS-G4.1; Q.PEAK XS-G4.4; Q.PEAK XS BLK-G4.1; Q.PEAK XS BLK-G4.4; B.LINE PEAK XS-G4.1; B.LINE PEAK XS-G4.4; B.LINE PEAK XS BLK-G4.1; B.LINE PEAK XS BLK-G4.4
	215 – 265 Wp Q.PEAK S-G4.1; Q.PEAK S-G4.4; Q.PEAK S BLK-G4.1; Q.PEAK S BLK-G4.4; B.LINE PEAK S-G4.1; B.LINE PEAK S-G4.4; B.LINE PEAK S BLK-G4.1; B.LINE PEAK S BLK-G4.4
	270 – 335 Wp Q.PLUS-G4.2; Q.PEAK-G4.2; Q.PEAK-G4.5; Q.PLUS-G4.1; Q.PLUS-G4.3; Q.PLUS BLK-G4.3; Q.PLUS BFR-G4.1; Q.PLUS BLK-G4.1; Q.PEAK-G4.1; Q.PEAK BLK-G4.1; Q.PEAK-G4.4; Q.PEAK BLK-G4.4; B.LINE PLUS-G4.2; B.LINE PEAK-G4.2; B.LINE PEAK-G4.5; B.LINE PLUS-G4.3; B.LINE PLUS BLK-G4.3; B.LINE PLUS BFR-G4.1; B.LINE PLUS BLK-G4.1; B.LINE PEAK-G4.1; B.LINE PEAK BLK-G4.1; B.LINE PEAK-G4.4; B.LINE PEAK BLK-G4.4
	325 – 405 Wp Q.PLUS L-G4.2; Q.PEAK L-G4.2; Q.PEAK L-G4.5; Q.PLUS L-G4.1; Q.PEAK L-G4.1; Q.PEAK L-G4.4; B.LINE PLUS L-G4.2; B.LINE PEAK L-G4.2; B.LINE PEAK L-G4.5; B.LINE PLUS L-G4.1; B.LINE PEAK L-G4.1; B.LINE PEAK L-G4.4
G5	140 – 175 Wp Q.PEAK XS-G5.1; Q.PEAK XS-G5.4; Q.PEAK XS BLK-G5.1; Q.PEAK XS BLK-G5.4; B.LINE PEAK XS-G5.1; B.LINE PEAK XS-G5.4; B.LINE PEAK XS BLK-G5.1; B.LINE PEAK XS BLK-G5.4
	215 – 265 Wp Q.PEAK S-G5.1; Q.PEAK S-G5.4; Q.PEAK S BLK-G5.1; Q.PEAK S BLK-G5.4; B.LINE PEAK S-G5.1; B.LINE PEAK S-G5.4; B.LINE PEAK S BLK-G5.1; B.LINE PEAK S BLK-G5.4

EU-DECLARATION OF CONFORMITY

EU-KONFORMITÄTSERKLÄRUNG

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE



qcells

Power Class* Leistungsklasse Classe de puissance Clase de potencia Klasa mocy	Module Type Modultyp Type de module Tipo de módulo Typ modulu
G5	Q.PEAK-G5.1; Q.PEAK BLK-G5.1; Q.PLUS DUO-G5; Q.PLUS DUO BFR-G5; Q.PLUS DUO BLK-G5; Q.PLUS DUO-G5.1; Q.PLUS DUO BFR-G5.1; Q.PEAK DUO-G5; Q.PEAK DUO BLK-G5; Q.PEAK DUO-G5.1; Q.PEAK DUO BLK-G5.1; Q.PEAK DUO-G5+; Q.PEAK DUO-G5/SC; Q.PEAK DUO-G5+/SC; Q.PEAK DUO BLK-G5/SC; Q.PEAK DUO-G5/TS; Q.PEAK DUO-G5+/TS; Q.PEAK DUO BLK-G5/TS; Q.PLUS DUO-G5.2; Q.PEAK DUO-G5.2; Q.PEAK DUO-G5.3; B.LINE PLUS DUO-G5; B.LINE PLUS DUO BFR-G5; B.LINE PLUS DUO BLK-G5; B.LINE PLUS DUO-G5.1; B.LINE PLUS DUO BFR-G5.1; B.LINE PEAK DUO-G5; B.LINE PEAK DUO BLK-G5; B.LINE PEAK DUO-G5.1; B.LINE PEAK DUO BLK-G5.1
	333 Wp Q.PEAK DUO-G5
	325 – 405 Wp Q.PEAK L-G5.2; Q.PEAK L-G5.1; Q.PLUS DUO L-G5.2; Q.PLUS DUO L-G5.3; Q.PLUS DUO RSF L-G5.2; Q.PLUS DUO RSF L-G5.3; Q.PEAK DUO L-G5.2; Q.PEAK DUO L-G5.3; Q.PLUS DUO L-G5; Q.PLUS DUO L-G5.1; Q.PLUS DUO RSF L-G5; Q.PEAK DUO L-G5; Q.PEAK DUO L-G5.1; B.LINE PLUS DUO L-G5.2; B.LINE PLUS DUO RSF L-G5.2; B.LINE PLUS DUO RSF L-G5.3; B.LINE PEAK DUO L-G5.2; B.LINE PEAK DUO L-G5.3; B.LINE PLUS DUO L-G5; B.LINE PLUS DUO RSF L-G5; B.LINE PEAK DUO L-G5; B.LINE PEAK DUO L-G5.1
G6	180 – 190 Wp Q.PEAK DUO XS-G6
	270 – 285 Wp Q.PEAK DUO S-G6
G6	270 – 360 Wp Q.PEAK DUO-G6.2; Q.PEAK DUO-G6.3; Q.PEAK DUO-G6; Q.PEAK DUO-G6.1; Q.PEAK DUO BLK-G6; Q.PEAK DUO BLK-G6.1; Q.PEAK DUO-G6+; Q.PEAK DUO BLK-G6+; Q.PEAK DUO-G6/SC; Q.PEAK DUO-G6+/SC; Q.PEAK DUO BLK-G6/SC; Q.PEAK DUO BLK-G6+/SC; Q.PEAK DUO-G6/TS; Q.PEAK DUO-G6+/TS; Q.PEAK DUO BLK-G6/TS; Q.PEAK DUO BLK-G6+/TS; Q.PEAK DUO-G6.5; Q.PEAK DUO-G6.7; Q.PEAK DUO-G6.4; Q.PEAK DUO-G6.6; Q.PEAK DUO BLK-G6+/HL; B.LINE PEAK DUO-G6.2; B.LINE PEAK DUO-G6.3; B.LINE PEAK DUO-G6; B.LINE PEAK DUO-G6.1; B.LINE PEAK DUO BLK-G6; B.LINE PEAK DUO BLK-G6.1; B.LINE PEAK DUO-G6+; B.LINE PEAK DUO BLK-G6+; B.LINE PEAK DUO-G6.5; B.LINE PEAK DUO-G6.7; B.LINE PEAK DUO-G6.4; B.LINE PEAK DUO-G6.6
	325 – 435 Wp Q.PEAK DUO L-G6.2; Q.PEAK DUO L-G6.2+; Q.PEAK DUO L-G6.3; Q.PEAK DUO L-G6.6; Q.PEAK DUO L-G6.7; Q.PEAK DUO L-G6; Q.PEAK DUO L-G6.1; Q.PEAK DUO L-G6.4; Q.PEAK DUO L-G6.5; Q.PEAK DUO L-G6 KRY; B.LINE PEAK DUO L-G6.2; B.LINE PEAK DUO L-G6.3; B.LINE PEAK DUO L-G6; B.LINE PEAK DUO L-G6.1; B.LINE PEAK DUO L-G6.6; B.LINE PEAK DUO L-G6.7; B.LINE PEAK DUO L-G6.4; B.LINE PEAK DUO L-G6.5
	380 – 425 Wp Q.PEAK DUO L-G6.3/BFG; Q.PEAK DUO L-G6.3/BGT
G7	270 – 335 Wp Q.PEAK DUO-G7; Q.PEAK DUO BLK-G7; Q.PEAK DUO-G7.1; Q.PEAK DUO BLK-G7.1; Q.PEAK DUO-G7.4; Q.PEAK DUO-G7.2; Q.PEAK DUO-G7.3; Q.PEAK DUO-G7.5; B.LINE PEAK DUO-G7; B.LINE PEAK DUO BLK-G7; B.LINE PEAK DUO-G7.1; B.LINE PEAK DUO BLK-G7.1; B.LINE PEAK DUO-G7.4; B.LINE PEAK DUO-G7.2; B.LINE PEAK DUO-G7.3; B.LINE PEAK DUO-G7.5
	325 – 405 Wp Q.PEAK DUO L-G7.2; Q.PEAK DUO L-G7.3; Q.PEAK DUO RSF L-G7.3; Q.PEAK DUO L-G7.6; Q.PEAK DUO L-G7.7; Q.PLUS DUO L-G7; Q.PLUS DUO RSF L-G7; Q.PEAK DUO L-G7; Q.PEAK DUO L-G7.1; Q.PEAK DUO L-G7.4; Q.PEAK DUO L-G7.5; B.LINE PEAK DUO L-G7.2; B.LINE PEAK DUO L-G7.3; B.LINE PEAK DUO RSF L-G7.3; B.LINE PEAK DUO L-G7.6; B.LINE PEAK DUO L-G7.7; B.LINE PLUS DUO L-G7; B.LINE PLUS DUO RSF L-G7; B.LINE PEAK DUO L-G7; B.LINE PEAK DUO L-G7.1; B.LINE PEAK DUO L-G7.4; B.LINE PEAK DUO L-G7.5

EU-DECLARATION OF CONFORMITY

EU-KONFORMITÄTSERKLÄRUNG

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE



qcells

Power Class*		Module Type
Leistungsklasse		Modultyp
Classe de puissance		Type de module
Clase de potencia		Tipo de módulo
Klasa mocy		Typ modulu
G8	270 – 360 Wp	Q.PEAK DUO-G8; Q.PEAK DUO BLK-G8; Q.PEAK DUO-G8+; Q.PEAK DUO BLK-G8+; Q.PEAK DUO-G8.2; Q.PEAK DUO-G8.3; Q.PEAK DUO-G8.7; Q.PEAK DUO-G8.4; B.LINE PEAK DUO-G8.2; B.LINE PEAK DUO-G8.3; B.LINE PEAK DUO-G8; B.LINE PEAK DUO BLK-G8; B.LINE PEAK DUO-G8+; B.LINE PEAK DUO BLK-G8+; B.LINE PEAK DUO-G8.7; B.LINE PEAK DUO-G8.4
	380 – 425 Wp	Q.PEAK DUO L-G8.3/BFG; Q.PEAK DUO L-G8.3/BGT; Q.PEAK DUO L-G8.3/BFF
	325 – 435 Wp	Q.PEAK DUO L-G8; Q.PEAK DUO L-G8.1; Q.PEAK DUO L-G8.2; Q.PEAK DUO L-G8.3; Q.PEAK DUO RSF L-G8.3; Q.PEAK DUO L-G8.3+; Q.PEAK DUO L-G8.7; B.LINE PEAK DUO L-G8.2; B.LINE PEAK DUO L-G8.3; B.LINE PEAK DUO L-G8; B.LINE PEAK DUO L-G8.1; B.LINE PEAK DUO RSF L-G8.3; B.LINE PEAK DUO L-G8.7
G9	220 – 235 Wp	Q.PEAK DUO MS-G9; Q.PEAK DUO MS-G9+
	330 – 360 Wp	Q.PEAK DUO-G9; Q.PEAK DUO-G9.4; Q.PEAK DUO-G9+; Q.PEAK DUO BLK-G9; Q.PEAK DUO BLK-G9+; B.LINE PEAK DUO-G9; B.LINE PEAK DUO-G9.4; B.LINE PEAK DUO BLK-G9
	370 – 395 Wp	Q.PEAK DUO ML-G9; Q.PEAK DUO ML-G9+; Q.PEAK DUO BLK ML-G9; Q.PEAK DUO BLK ML-G9+; Q.PEAK DUO ML-G9.4; B.LINE PEAK DUO ML-G9; B.LINE PEAK DUO BLK ML-G9; B.LINE PEAK DUO ML-G9.4
	415 – 470 Wp	Q.PEAK DUO XL-G9; Q.PEAK DUO XL-G9.2; Q.PEAK DUO XL-G9.3; Q.PEAK DUO XL-G9.3 KRy; Q.PEAK DUO XL-G9.7; B.LINE PEAK DUO XL-G9; B.LINE PEAK DUO XL-G9.2; B.LINE PEAK DUO XL-G9.3; B.LINE PEAK DUO XL-G9.7
	445 – 465 Wp	Q.PEAK DUO XL-G9.3/BFG; Q.PEAK DUO XL-G9.3/BGT
G10	340 – 380 Wp	Q.PEAK DUO-G10.4+; Q.PEAK DUO BLK-G10.4+; Q.PEAK DUO BLK-G10+/HL
	340 – 415 Wp	Q.PEAK DUO-G10; Q.PEAK DUO-G10+; Q.PEAK DUO BLK-G10; Q.PEAK DUO BLK-G10+; Q.PEAK DUO-G10.a; Q.PEAK DUO-G10.a+; Q.PEAK DUO BLK-G10.a; Q.PEAK DUO BLK-G10.a+; Q.PEAK DUO-G10.4; Q.PEAK DUO BLK-G10.4; B.LINE PEAK DUO-G10; B.LINE PEAK DUO-G10.a; B.LINE PEAK DUO BLK-G10; B.LINE PEAK DUO BLK-G10.a; B.LINE PEAK DUO-G10.4; B.LINE PEAK DUO BLK-G10.4
	385 – 415 Wp	Q.PEAK DUO ML-G10; Q.PEAK DUO ML-G10+; Q.PEAK DUO ML-G10.a; Q.PEAK DUO ML-G10.a+; Q.PEAK DUO BLK ML-G10; Q.PEAK DUO BLK ML-G10+/TS; Q.PEAK DUO BLK ML-G10.a+/TS; Q.PEAK DUO BLK ML-G10+; Q.PEAK DUO BLK ML-G10.a; Q.PEAK DUO BLK ML-G10.a+; Q.PEAK DUO ML-G10.2; Q.PEAK DUO ML-G10.4; Q.PEAK DUO BLK ML-G10.4; Q.PEAK DUO BLK ML-G10.4+; B.LINE PEAK DUO ML-G10; B.LINE PEAK DUO ML-G10.a; B.LINE PEAK DUO BLK ML-G10; B.LINE PEAK DUO ML-G10.a; B.LINE PEAK DUO ML-G10.2; B.LINE PEAK DUO ML-G10.4; B.LINE PEAK DUO BLK ML-G10.4
	470 – 490 Wp	Q.PEAK DUO XL-G10.2; Q.PEAK DUO XL-G10.3; Q.PEAK DUO XL-G10.c; Q.PEAK DUO XL-G10.d; Q.PEAK DUO XL-G10.3/BFG; Q.PEAK DUO XL-G10.d/BFG; Q.PEAK DUO XL-G10.3 KRy; Q.PEAK DUO XL-G10.d KRy; Q.PEAK DUO XL-G10.h; Q.PEAK DUO XL-G10.4; Q.PEAK DUO XL-G10.6; Q.PEAK DUO XL-G10.7; B.LINE PEAK DUO XL-G10.2; B.LINE PEAK DUO XL-G10.3; B.LINE PEAK DUO XL-G10.c; B.LINE PEAK DUO XL-G10.d; B.LINE PEAK DUO XL-G10.3/BFG; B.LINE PEAK DUO XL-G10.d/BFG; B.LINE PEAK DUO XL-G10.h; B.LINE PEAK DUO XL-G10.4; B.LINE PEAK DUO XL-G10.6; B.LINE PEAK DUO XL-G10.7

EU-DECLARATION OF CONFORMITY

EU-KONFORMITÄTSERKLÄRUNG

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE



qcells

Power Class* Leistungsklasse Classe de puissance Clase de potencia Klasa mocy	Module Type Modultyp Type de module Tipo de módulo Typ modulu	
G11	250 – 270 Wp	Q.PEAK DUO S-G11; Q.PEAK DUO S-G11+; Q.PEAK DUO S-G11S; B.LINE PEAK DUO S-G11S; B.LINE PEAK DUO S-G11
	375 – 415 Wp	Q.PEAK DUO M-G11; Q.PEAK DUO M-G11+; Q.PEAK DUO M-G11.1; Q.PEAK DUO M-G11.1+; Q.PEAK DUO M-G11.4; Q.PEAK DUO M-G11A; Q.PEAK DUO M-G11A+; Q.PEAK DUO M-G11S; Q.PEAK DUO M-G11S+; Q.PEAK DUO BLK M-G11; Q.PEAK DUO BLK M-G11+; Q.PEAK DUO BLK M-G11.1; Q.PEAK DUO BLK M-G11.1+; Q.PEAK DUO BLK M-G11A; Q.PEAK DUO BLK M-G11A+; Q.PEAK DUO BLK M-G11S; Q.PEAK DUO BLK M-G11S+; B.LINE PEAK DUO M-G11; B.LINE PEAK DUO M-G11.1; B.LINE PEAK DUO BLK M-G11; B.LINE PEAK DUO BLK M-G11.1; B.LINE PEAK DUO M-G11.4 B.LINE PEAK DUO M-G11A; B.LINE PEAK DUO BLK M-G11A; B.LINE PEAK DUO M-G11S; B.LINE PEAK DUO BLK M-G11S
	385 – 410 Wp	Q.PEAK DUO M-G11; Q.PEAK DUO M-G11+; Q.PEAK DUO M-G11.1; Q.PEAK DUO M-G11.1+; Q.PEAK DUO BLK M-G11; Q.PEAK DUO BLK M-G11+; Q.PEAK DUO BLK M-G11.1; B.LINE PEAK DUO M-G11; B.LINE PEAK DUO M-G11.1; B.LINE PEAK DUO BLK M-G11; B.LINE PEAK DUO BLK M-G11.1
	480 – 500 Wp	Q.PEAK DUO ML-G11.2; B.LINE PEAK DUO ML-G11.2
	480 – 505 Wp	Q.PEAK DUO ML-G11.2; Q.PEAK DUO ML-G11.2+; Q.PEAK DUO ML-G11A.2; Q.PEAK DUO ML-G11A.2+; Q.PEAK DUO ML-G11S.2; Q.PEAK DUO ML-G11S.2+; B.LINE PEAK DUO ML-G11.2; B.LINE PEAK DUO ML-G11A.2; B.LINE PEAK DUO ML-G11S.2
	500 – 510 Wp	Q.PEAK DUO ML-G11.5/BFG; B.LINE PEAK DUO ML-G11.5/BFG
	515 – 545 Wp	Q.PEAK DUO L-G11.3; B.LINE PEAK DUO L-G11.3
	550 – 590 Wp	Q.PEAK DUO XL-G11.2; Q.PEAK DUO XL-G11.3; Q.PEAK DUO XL-G11.6; Q.PEAK DUO XL-G11.7; B.LINE PEAK DUO XL-G11.2; B.LINE PEAK DUO XL-G11.3; B.LINE PEAK DUO XL-G11.6; B.LINE PEAK DUO XL-G11.7
	555 – 585 Wp	Q.PEAK DUO XL-G11.3/BFG; Q.PEAK DUO XL-G11S.3/BFG; B.LINE PEAK DUO XL-G11.3/BFG; B.LINE PEAK DUO XL-G11S.3/BFG
	555 – 595 Wp	Q.PEA K DUO XL-G11S.3/BFG; B.LINE PEAK DUO XL-G11S.3/BFG
570 – 585 Wp	Q.PEAK DUO XL-G11.7/BFG; B.LINE PEAK DUO XL-G11.7/BFG	

* The power can be any number between./Die Leistung kann angegeben werden durch eine Zahl dazwischen./La puissance peut être n'importe quel nombre compris entre./La potencia puede ser cualquier número intermedio./Moc może być dowolną liczbą pomiędzy.

EU-DECLARATION OF CONFORMITY

EU-KONFORMITÄTSERKLÄRUNG

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE



Brand: **qcells**

Marke

Marque

Marca

Marka

including all relevant modifications, complies with the legal requirements:

einschließlich aller relevanten Modifikationen, den gesetzlichen Anforderungen entspricht:

y compris toutes les modifications pertinentes, est conforme aux exigences légales:

así como todas las modificaciones pertinentes, cumplen con los requisitos legales:

łącznie z wszelkimi istotnymi modyfikacjami, spełnia wymagania prawne:

EUROPEAN DIRECTIVE 2014/35/EU LOW VOLTAGE DIRECTIVE (LVD)

EUROPÄISCHE RICHTLINIE 2014/35/EU NIEDERSPANNUNGSRICHTLINIE

DIRECTIVE EUROPÉENNE, 2014/35/UE DIRECTIVE BASSE TENSION

DIRECTIVA EUROPEA, 2014/35/UE DIRECTIVA DE BAJA TENSIÓN DE LA UE

DYREKTYWA EUROPEJSKA, 2014/35/UE DYREKTYWA NISKONAPIĘCIOWA UE

and the following relevant guidelines, provisions and technical standards with which the products complies:

sowie den folgenden einschlägigen Richtlinien, Bestimmungen und technischen Normen, denen die Produkte entsprechen:

et les directives, dispositions et normes techniques pertinentes auxquelles les produits sont conformes:

las siguientes directrices, disposiciones y normas técnicas pertinentes que cumplen los productos:

i poniższe istotne wytyczne, postanowienia i normy techniczne, którym produkt odpowiada:

IEC 61215-1:2016

IEC 61215-1-1:2016

IEC 61215-2:2016

IEC 61730-1:2016

IEC 61730-2:2016

Places of Manufacture/List of Factories according to TÜV Rheinland IEC Certificate no. PV 60149904 Annex:

Herstellungsorte/Produktionsstätten gemäß TÜV Rheinland IEC Zertifikat Nr. PV 60149904 Anhang:

Lieux de fabrication/Liste des usines selon TÜV Rheinland Certificat CEI n° 60149904 Annexe:

Lugares de fabricación/Lista de fábricas de acuerdo con el anexo del certificado n.º PV 60149904 de la IEC de TÜV Rheinland:

Zakłady produkcyjne/Lista fabryk zgodnie z TÜV Rheinland IEC Nr certyfikatu PV 60149904 Załącznik:

1. Hanwha Q CELLS (Qidong) Co., Ltd.

No. 888 Linyang Road

226200 QIDONG CITY

Jiangsu

CHINA

2. Hanwha Solution Corporation

1329 Daegeum-ro, Geumwang-eup

27632 EUMSEONG-GUN

Chungcheongbuk-do

SOUTH KOREA

EU-DECLARATION OF CONFORMITY

EU-KONFORMITÄTSERKLÄRUNG

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE



- Hanwha Solution Corporation
202 Sansusandan2-ro, Iwol-myun
27816 JINCHEON-GUN
Chungcheongbuk-do
SOUTH KOREA
- Hanwha Q CELLS USA Corp.
300 Nexus Drive
Dalton GA 30721
USA
- Hanwha Q CELLS Malaysia Sdn. Bhd.
Lot 1, Jalan CV 2,
Selangor Cyber Valley
63300 CYBERJAYA
Selangor
MALAYSIA

Name and Function of the person, who is authorized, to sign the declaration of conformity:
Name und Funktion der Person, die befugt ist, die Konformitätserklärung zu unterzeichnen:
Nom et fonction de la personne habilitée à signer la déclaration de conformité:
Nombre y función de la persona autorizada para firmar la declaración de conformidad:
Imię i nazwisko oraz funkcja osoby upoważnionej do podpisania deklaracji zgodności:

Cha, Moon Hwan

Name, first name
Name, Vorname
Nom, prénom
Apellidos, nombre
Nazwisko, imię

Thalheim, 01/12/2022

Place, date
Ort, Datum
Lieu, date
Lugar, fecha
Miejsce, data

General Manager & CEO

Function
Funktion
Fonction
Función
Funkcjonować

Legally binding signature
Rechtsverbindliche Unterschrift
Signature juridiquement contraignante
Firma jurídicamente vinculante
Prawnie wiążący podpis

Hanwha Q CELLS
Hanwha Q CELLS GmbH
OT Thalheim • Sonnenallee 17-21
06766 Bitterfeld-Wolfen • Germany
TEL +49 (0)3494 6699-0
FAX +49 (0)3494 6699-189
www.hanwha-qcells.com